Application No. 09/901,414

INXT 1010-1

Amendments to the Specification:

Please replace paragraph [0194] (the Abstract) with the following amended paragraph:

Methods and systems for browsing a node-link structure involves displaying [0194] representations of the A node-link structure is displayed within a display area, which are well suited to utilization of display areas with having a narrow rectangular shape. An animated view of the node-link structure is accomplished, which preserves focus and context for the user, and allows scrolling among related nodes. Thus, the node link data is used to present a sequence of representations of the node-link structure on a display. The display has with an edge along one side acting as a horizon corresponding for example with the horizon of a hyperbolic space halfplane. The sequence begins with a first representation and ends with the last representation. perceptible as changed continuation of the first representation. Lower level node features that share a parent node feature have centers of area positioned on the display in order approximately along a line generally parallel with the horizon, with sufficiently similar spacings along an axis perpendicular to the horizon from the region around a parent node feature, and with sufficiently similar spacings in a dimension generally parallel to the horizon from adjacent node features along the line, that the lower level node features sharing the parent node feature are perceptible as a group of related node features. The half-plane model with compression is used for layout of the node-link data, by mapping the selected portion of and the hyperbolic layout data is mapped to a Euclidean space for display according to a half plane model to produce Euclidean layout data. The Euclidean layout data is compressed as positions approach the displayable boundaries at the side of the display area opposite to the horizon, and as positions approach the top and bottom sides orthogonal to the horizon, to yield the display layout data, so that additional context for upper level nodes in the node link structure is preserved.